



FEEDMILL OH&S PROCEDURE MANUAL

**EMERGENCY PROCEDURE MANUAL
HANWOOD FEEDMILL**

Doc No :
OHS-EMP-072-HANLV

Issue No: **09**

Pages 1 of 1

Issue Date

APPENDIX C – PUBLICALLY AVAILABLE INFORMATION

This appendix has been prepared for purposes of making publically available the requirements of the Pollution Response Management Plan, which has been modified to exclude all personal information relating to the Privacy and Personal Information Protection Act 1998.

In the event of the Pollution Incident Response Management Plan being enacted, whereby a pollution incident occurs that involves potential or actual harm to the health or safety of human beings or to an ecosystem that is not trivial, or it results in actual or potential loss of property damage that exceeds in aggregate of \$10,000 as prescribed in the Regulations, the following contacts are to be notified in the priority shown.

Table 1 – Regulatory authority notification details

Service	Contact Details
1.Emergency Services	(0) 000 (Only if the incident presents an immediate threat to human health or property)
2.NSW EPA	(0) 131 555
3.The NSW Ministry of Health Environmental Health Officer	(0) 02 9391 9000
4.The NSW WorkCover Authority	(0) 13 10 50
5.Griffith City Council Director of Infrastructure & Operations	(0) 02 6962 8100
6.Fire and Rescue NSW	(0) 1300 729 579

In the event of a pollution incident occurring where it is deemed that the pollution has the potential to cause material harm, consideration will be given to notifying the occupiers of the nearby external premises, identified in **Table 2**, of the risk. Any communication with likely affected receptors will include any possible controls to minimise the potential impact, and this may include directions to remain indoors and closing of doors and windows. Coordination of this communication will be by the Emergency Services.

Table 2 – Nearby neighbour contact details

Direction	Name	Contact Details
North	MI – Murrumbidgee Irrigation	
East	McWilliams Winery	
South	MI – Murrumbidgee Irrigation	
West	Bartter House	

Prepared By:	Feedmill WHSE Assistant	18/08/2015
Checked By:	Feedmill Manager, Riverina WHSE Co-ordinator	
Authorised By:	National Milling Manager	